



22-009155/D004.R000 **Report Number: Report Date:** 08/09/2022 **ORELAP#:** OR100028 **Purchase Order:** 08/03/22 10:29 **Received:**

Customer:	CentraBliss
Product identity:	CentraBliss 1,000mg Full Spec CBD Drops w/ Hemp seed Oil Lot# 22-0730-6KR
Client/Metrc ID:	
Laboratory ID:	22-009155-0001

Summary

			0			
Potency:					·	
Analyte per 1ml	Result	Limits	Units	Status	CBD-Total per Serving Size	
CBC per 1ml	0.842		mg/1ml			
CBD per 1ml	34.4		mg/1ml			0.021 mm/1ml
CBD-A per 1ml	0.0371		mg/1ml		THC-Total per Serving Size	0.931 mg/1ml
CBDV per 1ml	1.25		mg/1ml			
CBE per 1ml	0.565		mg/1ml		CBD-Total per Serving Size	976 mg/1oz.
CBG per 1ml	0.241		mg/1ml			<u> </u>
CBN per 1ml	0.140		mg/1ml			
CBT per 1ml	0.648		mg/1ml		THC-Total per Serving Size	26.4 mg/1oz.
$\Delta 8$ -THC per 1ml	0.771		mg/1ml			
$\Delta 9$ -THC per 1ml	0.931		mg/1ml		(Reported in milligrams	per serving)
Analyte per 1oz.	Result	Limits	Units	Status		
CBC per 1oz.	23.9		mg/1oz.			
CBD per 1oz.	975		mg/1oz.			
CBD-A per 1oz.	1.05		mg/1oz.			
CBDV per 1oz.	35.4		mg/1oz.			
CBE per 1oz.	16.0		mg/1oz.			
CBG per 1oz.	6.83		mg/1oz.			
CBN per 1oz.	3.97		mg/1oz.			
CBT per 1oz.	18.4		mg/1oz.			
$\Delta 8$ -THC per 1oz.	21.9		mg/1oz.			
∆9-THC per 1oz.	26.4		mg/1oz.			

 Www.columbialaboratories.com
 Page 1 of 10

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430





Report Number: 22-009155/D004.R000 **Report Date:** 08/09/2022 **ORELAP#:** OR100028 **Purchase Order: Received:** 08/03/22 10:29

Customer:	CentraBliss 4168 W 1st Ave Eugene Oregon 97402 United States of America (USA)
Product identity:	CentraBliss 1,000mg Full Spec CBD Drops w/ Hemp seed Oil Lot# 22-0730-6KR
Client/Metrc ID:	
Sample Date:	
Laboratory ID:	22-009155-0001
Evidence of Cooling:	No
Temp:	23.2 °C
Relinquished by:	UPS
Serving Size #1:	1 g
Serving Size #2:	28.35 g
Density:	1.000 g/ml

Sample Results

Potency per 1ml	Method: J AOAC 2015 V	/98-6 (mod) ^þ	Units mg/se Bat	tch: 2206605	Analyze: 8/4/22 11:24:00 PM
Analyte	Result	Limits	Units	LOQ	Notes
CBC per 1ml	0.842		mg/1ml	0.0333	
CBC-A per 1ml	< LOQ		mg/1ml	0.0333	
CBC-Total per 1ml	0.842		mg/1ml	0.0624	
CBD per 1ml	34.4		mg/1ml	0.333	
CBD-A per 1ml	0.0371		mg/1ml	0.0333	
CBD-Total per 1ml	34.4		mg/1ml	0.362	
CBDV per 1ml	1.25		mg/1ml	0.0333	
CBDV-A per 1ml	< LOQ		mg/1ml	0.0333	
CBDV-Total per 1ml	1.25		mg/1ml	0.0621	
CBE per 1ml	0.565		mg/1ml	0.0333	
CBG per 1ml	0.241		mg/1ml	0.0333	
CBG-A per 1ml	< LOQ		mg/1ml	0.0333	
CBG-Total per 1ml	0.241		mg/1ml	0.0621	
CBL per 1ml	< LOQ		mg/1ml	0.0333	
CBL-A per 1ml	< LOQ		mg/1ml	0.0333	
CBL-Total per 1ml	< LOQ		mg/1ml	0.0624	
CBN per 1ml	0.140		mg/1ml	0.0333	
CBT per 1ml	0.648		mg/1ml	0.0333	
$\Delta 8$ -THCV per 1ml	< LOQ		mg/1ml	0.0333	
$\Delta 8$ -THC per 1ml	0.771		mg/1ml	0.0333	
∆9-THC per 1ml	0.931		mg/1ml	0.0333	
exo-THC per 1ml	< LOQ		mg/1ml	0.0333	
THC-A per 1ml	< LOQ		mg/1ml	0.0333	
THC-Total per 1ml	0.931		mg/1ml	0.0624	
THCV per 1ml	< LOQ		mg/1ml	0.0333	
THCV-A per 1ml	< LOQ		mg/1ml	0.0333	
THCV-Total per 1ml	< LOQ		mg/1ml	0.0625	
Total Cannabinoids per 1n	nl 39.8		mg/1ml		

 www.columbialaboratories.com
 Page 2 of 10

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430





Report Number:	22-009155/D004.R000
Report Date:	08/09/2022
ORELAP#:	OR100028
Purchase Order:	
Received:	08/03/22 10:29

Potency per 1oz.	Method: J AOAC 2015	V98-6 (mod) ^þ	Units mg/se Bat	t ch: 2206605	Analyze: 8/4/22 11:24:00 PM
Analyte	Result	Limits	Units	LOQ	Notes
CBC per 1oz.	23.9		mg/1oz.	0.943	
CBC-A per 1oz.	< LOQ		mg/1oz.	0.943	
CBC-Total per 1oz.	23.9		mg/1oz.	1.77	
CBD per 1oz.	975		mg/1oz.	9.43	
CBD-A per 1oz.	1.05		mg/1oz.	0.943	
CBD-Total per 1oz.	976		mg/1oz.	10.3	
CBDV per 1oz.	35.4		mg/1oz.	0.943	
CBDV-A per 1oz.	< LOQ		mg/1oz.	0.943	
CBDV-Total per 1oz.	35.4		mg/1oz.	1.76	
CBE per 1oz.	16.0		mg/1oz.	0.943	
CBG per 1oz.	6.83		mg/1oz.	0.943	
CBG-A per 1oz.	< LOQ		mg/1oz.	0.943	
CBG-Total per 1oz.	6.83		mg/1oz.	1.76	
CBL per 1oz.	< LOQ		mg/1oz.	0.943	
CBL-A per 1oz.	< LOQ		mg/1oz.	0.943	
CBL-Total per 1oz.	< LOQ		mg/1oz.	1.77	
CBN per 1oz.	3.97		mg/1oz.	0.943	
CBT per 1oz.	18.4		mg/1oz.	0.943	
∆8-THCV per 1oz.	< LOQ		mg/1oz.	0.943	
∆8-THC per 1oz.	21.9		mg/1oz.	0.943	
∆9-THC per 1oz.	26.4		mg/1oz.	0.943	
exo-THC per 1oz.	< LOQ		mg/1oz.	0.943	
THC-A per 1oz.	< LOQ		mg/1oz.	0.943	
THC-Total per 1oz.	26.4		mg/1oz.	1.77	
THCV per 1oz.	< LOQ		mg/1oz.	0.943	
THCV-A per 1oz.	< LOQ		mg/1oz.	0.943	
THCV-Total per 1oz.	< LOQ		mg/1oz.	1.77	
Total Cannabinoids per 10	oz. 1130		mg/1oz.		

 Www.columbialaboratories.com
 Page 3 of 10

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430





Report Number: 22-009155/D004.R000 **Report Date:** 08/09/2022 **ORELAP#:** OR100028 Purchase Order: Received: 08/03/22 10:29

These test results are representative of the individual sample selected and submitted by the client.

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

^b = ISO/IEC 17025:2017 accredited method.

Units of Measure

g = gg/ml = Gram per milliliter mg/1ml = Milligram per 1ml mg/1oz. = Milligram per 1oz. % = Percentage of sample % wt = $\mu g/g$ divided by 10,000

Approved Signatory

Derrick Tanner General Manager

www.columbialaboratories.com

Page 4 of 10

equirements of NELAP and the Columbia Laboratories quality assurance plan Test results relate only to the parameters tested and to the samples as received by unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made





Report Number: 22-009155/D004.R000 08/09/2022 **Report Date:** ORELAP#: OR100028

Purchase Order:

Received:

08/03/22 10:29

C	Columbia
	LABORATORIES
	A remamus company

Hemp & Cannabis: Usable / Extract / Finished Product
Chain of Custody Record
ORELAP ID: OR100028 ANAB ISO 17025 ID: AT-1508

Document Control ID: 2832 Revision: 5 Effective: 01/04/2022

Com	Company: CentraBliss				Analysis Requested						sted			PO Number:		
Con	tact: Tarin Stoney															ID:
Add	ress: <u>4168 W 1st Ave</u>													c	Batch	ID: by:
City	City: Eugene State: OR Zip Code: 97402												Cu	istom	Reporti	ng:
Email Results: CCP Dropbox Ph: {}					vents	ents ofile	M1010 Profile D - Indicator			R	Source Material: - Ind. Hemp product - Rec. Cannabis Reporting Type: - Compliance - R&D Report to: - METRC - ODA - USDA - Other:					
	ress: Same				2	des	al Sol	cro PI	- D - I						Tui	maround time (TAT - Business Days):
	Sta	ite: Z	ip:		H0010 Potency	P2120 Pesticides	40008 Residual Solvents	VI7000 CO Micro Profile) Profile	H0013 Metals	N223 Density					- 5BD □ - 3BD* □ - 2BD* *Check for availability
Lab IC	Client Sample Identificat	ion		Sample date	H0010	P2120	H0008	M7000	M1010	H0013	N223 [aterial ype †	Weight (Units)	Comments/Metrc ID
	CentraBliss 1,000mg Full Spec CBD Drops	w/ Hemp see	ed Oil	08/02/22	X								т	-		Report Gummies in mg/3g, mg/container (10
	Lot# 22-0730-6KR								1	1						3g gummies)
	CentraBliss 25mg CBD Gummies Blue Ras	pberry		08/02/22	X								E	-		Report Drops in mg/1ml & mg/container (1oz)
	Lot# 22-0801-3LJ															
	CentraBliss 25mg CBD Gummies Cherry Li	imeade		08/02/22	X								E	-		COA should have the "Customer" listed as "
	Lot# 22-0801-2JL								6							CentraBliss"
	CentraBliss 25mg CBD Gummies Mango			08/02/22	x								E	-		
	Lot# 22-0801-1IS															
	Signature - Relinquished By:	Date	Т	ïme		Signatu	ire - Red	eived B	y:	Da	ite	Time				Lab Use Only:
	1/11.5+1/1 8/2/22 W:16			6		Ĩ	Ac			83	3	10:29		Evide Sampl Payme	nce of co	Or □ Client drop off ooling: □ Yes ⊠No - Temp (°C): <u>23. 2</u> d condition: ¥TYes □ No sh □ Check □ CC □ Net:

+ - Material Type Codes: Plant Material (P) ; Isolate (I) ; Concentrate/Extract (C) ; Tincture/Topical (T) ; Edible (E) ; Beverage (B) ; Vapor Product (V)

Samples submitted to Columbia Laboratories with testing requirements constitute an agreement for services in accordance with the <u>current terms of service</u> associated with this COC. By signing "Relinquished by" you are agreeing to these terms

12423 NE Whitaker Way Portland, OR 97230

P: (503) 254-1794 | Fax: (503) 254-1452 info@columbialaboratories.com

Page _____of____ www.columbialaboratories.com

Page 5 of 10

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

Columbia LABORATORIES A Tentamus Company	12423 NE Whitaker Way Portland, OR 97230 503-254-1794	Report Number Report Date: ORELAP#: Purchase Order Received:	08/09/2022 OR100028
Columbia LABORATORIES ATentamus Company		Document ID: 3177 Revision: 3 Effective: 04/26/2022 Page 1 of 1	
ΡΑζ	KAGE RECEIVING FORM		
12			
How was the package delivered?	Same as Opened By Date 🛛 🗆 Unsure		
UPS FEDEX USPS	DHL OTHER:		
Tracking Number: 12 VR2 76			
		CIRCLE ONE	
1) Was package sealed with no evidence		YES NO	
Further custody seal/tampering r 2) Was packing material used?	lotes:	YES NO	
If YES:	BLE 🗆 WRAP 🗆 FOAM PAPER		
3) Was a Complete Chain of Custody (CC		YES NO	
Comment (PT?, Email?):			
4) Sample temperature upon arrival?		23.2 °C	
5) Evidence of cooling?		YES NO	
If YES, What kind? 🛛 ICE	FREEZER PACK DRY ICE		
Insulation? DPLASTIC	COOLER	6	
6) Were sample containers sealed in sep	parate plastic bags/secondary containment?	YES NO	
7) Did sample containers arrive in good	condition?	YES NO	
If NO: 🗆 LEAKED 🗆 BROKE	IN 🗆 OTHER:		
If NO: Suspect contamination	of other samples?		
8) Sample labels present?		YES NO	
9) Do sample labels agree with COC? If NO, number of sample contain		KES NO	
in NO, number of sample contain			
Sample pre-log location:			
R39 R44 F44 R99	CANNA SHELF FOOD SHELF	Other:	
Other Notes:			

 Www.columbialaboratories.com
 Page 6 of 10

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430





Report Number:	22-009155/D004.R000
Report Date:	08/09/2022
ORELAP#:	OR100028
Purchase Order:	
Received:	08/03/22 10:29

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results										
J AOAC 2015 V98-6										
Laboratory Control S	Sample									
Analyte	LCS	Result	Spike	Units	% Rec	Limits	Evaluation	Notes		
CBDVA	1	0.0337	0.033	%	101	80.0 - 120	Acceptable			
CBDV	1	0.0369	0.033	%	111	80.0 - 120	Acceptable			
CBE	1	0.0334	0.033	%	100	80.0 - 120	Acceptable			
CBDA	1	0.0328	0.032	%	102	90.0 - 110	Acceptable			
CBGA	1	0.0324	0.032	%	101	80.0 - 120	Acceptable			
CBG	1	0.0346	0.034	%	102	80.0 - 120	Acceptable			
CBD	1	0.0345	0.033	%	103	90.0 - 110	Acceptable			
THCV	1	0.0336	0.033	%	101	80.0 - 120	Acceptable			
d8THCV	1	0.0346	0.033	%	104	80.0 - 120	Acceptable			
THCVA	1	0.0317	0.033	%	95.1	80.0 - 120	Acceptable			
CBN	1	0.0354	0.034	%	104	90.0 - 110	Acceptable			
exo-THC	1	0.0334	0.033	%	100	80.0 - 120	Acceptable			
d9THC	1	0.0367	0.037	%	99.2	90.0 - 110	Acceptable			
d8THC	1	0.0338	0.033	%	101	90.0 - 110	Acceptable			
CBL	1	0.0325	0.033	%	97.5	80.0 - 120	Acceptable			
CBC	1	0.0343	0.033	%	103	80.0 - 120	Acceptable			
THCA	1	0.0319	0.032	%	101	90.0 - 110	Acceptable			
CBCA	1	0.0328	0.033	%	98.5	80.0 - 120	Acceptable			
CBLA	1	0.0344	0.033	%	103	80.0 - 120	Acceptable			
CBT	1	0.0347	0.033	%	104	80.0 - 120	Acceptable			

Method	Blank

Wethou blank						
Analyte	Result	LOQ	Units	Limits	Evaluation	Notes
CBDVA	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBDV	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBE	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBDA	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBGA	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBG	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBD	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
THCV	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
d8THCV	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
THCVA	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBN	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
exo-THC	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
d9THC	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
d8THC	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBL	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBC	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
THCA	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBCA	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBLA	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBT	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	

Abbreviations

ND - None Detected at or above MRL

RPD - Relative Percent Difference LOQ - Limit of Quantitation

Units of Measure: % - Percent

 Www.columbialaboratories.com
 Page 7 of 10

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430





Report Number:	22-009155/D004.R000	
Report Date:	08/09/2022	
ORELAP#:	OR100028	
Purchase Order:		
Received:	08/03/22 10:29	

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

			La	boratory	Quality Cor	trol Results		
J AOAC 2015 V98-6	Batch ID: 2206605							
Sample Duplicate			Sample ID: 22-009140-0001					
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
CBDVA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBDV	0.0301	0.0299	0.003	%	0.551	< 20	Acceptable	
CBE	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBDA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBGA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBG	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBD	7.27	7.20	0.003	%	0.953	< 20	Acceptable	
THCV	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
d8THCV	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
THCVA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBN	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
exo-THC	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
d9THC	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
d8THC	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBL	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBC	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
THCA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBCA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBLA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBT	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	

Abbreviations

ND - None Detected at or above MRL RPD - Relative Percent Difference LOQ - Limit of Quantitation

Units of Measure:

 Www.columbialaboratories.com
 Page 8 of 10

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430





22-009155/D004.R000 **Report Number: Report Date:** 08/09/2022 **ORELAP#:** OR100028 **Purchase Order: Received:** 08/03/22 10:29



 Www.columbialaboratories.com
 Page 9 of 10

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430





Report Number: 22-009155/D004.R000 **Report Date:** 08/09/2022 **ORELAP#:** OR100028 **Purchase Order: Received:** 08/03/22 10:29

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
В	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.

 www.columbialaboratories.com
 Page 10 of 10

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430